Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2	4	6
Diagnosis		% within Sex	5.6%	12.9%	9.0%
	20-24	Count	5	7	12
		% within Sex	13.9%	22.6%	17.9%
	25-29	Count	3	4	7
		% within Sex	8.3%	12.9%	10.4%
	30-39	Count	16	9	25
		% within Sex	44.4%	29.0%	37.3%
	40-49	Count	6	5	11
		% within Sex	16.7%	16.1%	16.4%
	50-59	Count	3	2	5
		% within Sex	8.3%	6.5%	7.5%
	60-69	Count	1		1
		% within Sex	2.8%		1.5%
Total		Count	36	31	67
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	12	10	22
		% within Sex	33.3%	32.3%	32.8%
	African American	Count	22	21	43
		% within Sex	61.1%	67.7%	64.2%
	Hispanic	Count	1		1
		% within Sex	2.8%		1.5%
	Asian-Pacific Islander	Count	1		1
		% within Sex	2.8%		1.5%
Total		Count	36	31	67
		% within Sex	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	14		14
Exposure		% within Sex	38.9%		20.9%
	IDU	Count	5	4	9
		% within Sex	13.9%	12.9%	13.4%
	M-M & IDU	Count	2		2
		% within Sex	5.6%		3.0%
	Heterosexual Contact	Count	9	17	26
		% within Sex	25.0%	54.8%	38.8%
	Not Classified	Count	6	10	16
		% within Sex	16.7%	32.3%	23.9%
Total		Count	36	31	67
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	22	22
		% within Adult-Ped	32.8%	32.8%
	African American	Count	43	43
		% within Adult-Ped	64.2%	64.2%
	Hispanic	Count	1	1
		% within Adult-Ped	1.5%	1.5%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.5%	1.5%
Total		Count	67	67
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	36	36
		% within Adult-Ped	53.7%	53.7%
	Female	Count	31	31
		% within Adult-Ped	46.3%	46.3%
Total		Count	67	67
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	13-19	Count	1	5	6
Diagnosis		% within Sex	2.5%	19.2%	9.1%
	20-24	Count	6	5	11
		% within Sex	15.0%	19.2%	16.7%
	25-29	Count	8	3	11
		% within Sex	20.0%	11.5%	16.7%
	30-39	Count	15	6	21
		% within Sex	37.5%	23.1%	31.8%
	40-49	Count	7	7	14
		% within Sex	17.5%	26.9%	21.2%
	50-59	Count	2		2
		% within Sex	5.0%		3.0%
	70+	Count	1		1
		% within Sex	2.5%		1.5%
Total		Count	40	26	66
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	20	6	26
		% within Sex	50.0%	23.1%	39.4%
	African American	Count	17	19	36
		% within Sex	42.5%	73.1%	54.5%
	Hispanic	Count	3	1	4
		% within Sex	7.5%	3.8%	6.1%
Total		Count	40	26	66
		% within Sex	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	19		19
Exposure		% within Sex	47.5%		28.8%
	IDU	Count	3	5	8
		% within Sex	7.5%	19.2%	12.1%
	M-M & IDU	Count	4		4
		% within Sex	10.0%		6.1%
	Heterosexual Contact	Count	5	6	11
		% within Sex	12.5%	23.1%	16.7%
	Transfusion	Count		2	2
		% within Sex		7.7%	3.0%
	Not Classified	Count	9	13	22
		% within Sex	22.5%	50.0%	33.3%
Total		Count	40	26	66
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	26	26
		% within Adult-Ped	39.4%	39.4%
	African American	Count	36	36
		% within Adult-Ped	54.5%	54.5%
	Hispanic	Count	4	4
		% within Adult-Ped	6.1%	6.1%
Total		Count	66	66
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	40	40
		% within Adult-Ped	60.6%	60.6%
	Female	Count	26	26
		% within Adult-Ped	39.4%	39.4%
Total		Count	66	66
		% within Adult-Ped	100.0%	100.0%

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	5	7
Diagnosis		% within Sex	1.1%	3.2%	2.1%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.6%	.6%	.6%
	2-4	Count		2	2
		% within Sex		1.3%	.6%
	5-12	Count		1	1
		% within Sex		.6%	.3%
	13-19	Count	3	25	28
		% within Sex	1.7%	16.0%	8.4%
	20-24	Count	28	36	64
		% within Sex	15.8%	23.1%	19.2%
	25-29	Count	28	18	46
		% within Sex	15.8%	11.5%	13.8%
	30-39	Count	65	38	103
		% within Sex	36.7%	24.4%	30.9%
	40-49	Count	33	20	53
		% within Sex	18.6%	12.8%	15.9%
	50-59	Count	13	6	19
		% within Sex	7.3%	3.8%	5.7%
	60-69	Count	1	4	5
		% within Sex	.6%	2.6%	1.5%
	70+	Count	1		1
		% within Sex	.6%		.3%
	Unknown	Count	2		2
		% within Sex	1.1%		.6%
Total		Count	177	156	333
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	71	35	106
		% within Sex	40.1%	22.4%	31.8%
	African American	Count	91	113	204
		% within Sex	51.4%	72.4%	61.3%
	Hispanic	Count	7	6	13
		% within Sex	4.0%	3.8%	3.9%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.6%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.3%
	Not Specified	Count	6	2	8
		% within Sex	3.4%	1.3%	2.4%
Total		Count	177	156	333
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	72		72
Exposure		% within Sex	40.7%		21.6%
	IDU	Count	17	16	33
		% within Sex	9.6%	10.3%	9.9%
	M-M & IDU	Count	17		17
		% within Sex	9.6%		5.1%
	Heterosexual Contact	Count	26	65	91
		% within Sex	14.7%	41.7%	27.3%
	Transfusion	Count		2	2
		% within Sex		1.3%	.6%
	Not Classified	Count	42	64	106
		% within Sex	23.7%	41.0%	31.8%
	Ped Parent at Risk	Count	3	9	12
		% within Sex	1.7%	5.8%	3.6%
Total		Count	177	156	333
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	103	2	106
		% within Adult-Ped	8.3%	32.3%	100.0%	31.8%
	African American	Count	9	195		204
		% within Adult-Ped	75.0%	61.1%		61.3%
	Hispanic	Count	2	11		13
		% within Adult-Ped	16.7%	3.4%		3.9%
	Asian-Pacific Islander	Count		1		1
		% within Adult-Ped		.3%		.3%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		8		8
		% within Adult-Ped		2.5%		2.4%
Total		Count	12	319	2	333
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	3	172	2	177
		% within Adult-Ped	25.0%	53.9%	100.0%	53.2%
	Female	Count	9	147		156
		% within Adult-Ped	75.0%	46.1%		46.8%
Total		Count	12	319	2	333
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	5	7
Diagnosis		% within Sex	1.2%	3.2%	2.1%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.6%	.6%	.6%
	2-4	Count		2	2
		% within Sex		1.3%	.6%
	5-12	Count		1	1
		% within Sex		.6%	.3%
	13-19	Count	3	25	28
		% within Sex	1.7%	16.2%	8.6%
	20-24	Count	27	36	63
		% within Sex	15.7%	23.4%	19.3%
	25-29	Count	27	18	45
		% within Sex	15.7%	11.7%	13.8%
	30-39	Count	64	38	102
		% within Sex	37.2%	24.7%	31.3%
	40-49	Count	31	19	50
		% within Sex	18.0%	12.3%	15.3%
	50-59	Count	13	5	18
		% within Sex	7.6%	3.2%	5.5%
	60-69	Count	1	4	5
		% within Sex	.6%	2.6%	1.5%
	70+	Count	1		1
		% within Sex	.6%		.3%
	Unknown	Count	2		2
		% within Sex	1.2%		.6%
Total		Count	172	154	326
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count		1	1
Age		% within Sex		.6%	.3%
	5-12	Count	3	5	8
		% within Sex	1.7%	3.2%	2.5%
	13-19	Count	1	8	9
		% within Sex	.6%	5.2%	2.8%
	20-24	Count	11	28	39
		% within Sex	6.4%	18.2%	12.0%
	25-29	Count	23	30	53
		% within Sex	13.4%	19.5%	16.3%
	30-39	Count	65	43	108
		% within Sex	37.8%	27.9%	33.1%
	40-49	Count	45	27	72
		% within Sex	26.2%	17.5%	22.1%
	50-59	Count	20	7	27
		% within Sex	11.6%	4.5%	8.3%
	60-69	Count	3	4	7
		% within Sex	1.7%	2.6%	2.1%
	70+	Count	1	1	2
		% within Sex	.6%	.6%	.6%
Total		Count	172	154	326
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	66	35	101
		% within Sex	38.4%	22.7%	31.0%
	African American	Count	91	111	202
		% within Sex	52.9%	72.1%	62.0%
	Hispanic	Count	7	6	13
		% within Sex	4.1%	3.9%	4.0%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.6%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.3%
	Not Specified	Count	6	2	8
		% within Sex	3.5%	1.3%	2.5%
Total		Count	172	154	326
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	70		70
Exposure		% within Sex	40.7%		21.5%
	IDU	Count	17	16	33
		% within Sex	9.9%	10.4%	10.1%
	M-M & IDU	Count	14		14
		% within Sex	8.1%		4.3%
	Heterosexual Contact	Count	26	64	90
		% within Sex	15.1%	41.6%	27.6%
	Transfusion	Count		2	2
		% within Sex		1.3%	.6%
	Not Classified	Count	42	63	105
		% within Sex	24.4%	40.9%	32.2%
	Ped Parent at Risk	Count	3	9	12
		% within Sex	1.7%	5.8%	3.7%
Total		Count	172	154	326
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	98	2	101
		% within Adult-Ped	8.3%	31.4%	100.0%	31.0%
	African American	Count	9	193		202
		% within Adult-Ped	75.0%	61.9%		62.0%
	Hispanic	Count	2	11		13
		% within Adult-Ped	16.7%	3.5%		4.0%
	Asian-Pacific Islander	Count		1		1
		% within Adult-Ped		.3%		.3%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		8		8
		% within Adult-Ped		2.6%		2.5%
Total		Count	12	312	2	326
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	3	167	2	172
		% within Adult-Ped	25.0%	53.5%	100.0%	52.8%
	Female	Count	9	145		154
		% within Adult-Ped	75.0%	46.5%		47.2%
Total		Count	12	312	2	326
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	1	4	5
Diagnosis		% within Sex	2.4%	12.5%	6.8%
	25-29	Count	3	4	7
		% within Sex	7.3%	12.5%	9.6%
	30-39	Count	19	9	28
		% within Sex	46.3%	28.1%	38.4%
	40-49	Count	14	14	28
		% within Sex	34.1%	43.8%	38.4%
	50-59	Count	4	1	5
		% within Sex	9.8%	3.1%	6.8%
Total		Count	41	32	73
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	18	9	27
		% within Sex	43.9%	28.1%	37.0%
	African American	Count	21	23	44
		% within Sex	51.2%	71.9%	60.3%
	Hispanic	Count	1		1
		% within Sex	2.4%		1.4%
	Am Indian-Alaskan	Count	1		1
		% within Sex	2.4%		1.4%
Total		Count	41	32	73
		% within Sex	100.0%	100.0%	100.0%

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	13		13
Exposure		% within Sex	31.7%		17.8%
	IDU	Count	5	5	10
		% within Sex	12.2%	15.6%	13.7%
	M-M & IDU	Count	7		7
		% within Sex	17.1%		9.6%
	Heterosexual Contact	Count	5	16	21
		% within Sex	12.2%	50.0%	28.8%
	Not Classified	Count	11	11	22
		% within Sex	26.8%	34.4%	30.1%
Total		Count	41	32	73
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	27	27
		% within Adult-Ped	37.0%	37.0%
	African American	Count	44	44
		% within Adult-Ped	60.3%	60.3%
	Hispanic	Count	1	1
		% within Adult-Ped	1.4%	1.4%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	1.4%	1.4%
Total		Count	73	73
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	41	41
		% within Adult-Ped	56.2%	56.2%
	Female	Count	32	32
		% within Adult-Ped	43.8%	43.8%
Total		Count	73	73
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	20-24	Count	1	1	2
Diagnosis		% within Sex	2.0%	5.9%	2.9%
	25-29	Count	5	5	10
		% within Sex	9.8%	29.4%	14.7%
	30-39	Count	18	5	23
		% within Sex	35.3%	29.4%	33.8%
	40-49	Count	19	4	23
		% within Sex	37.3%	23.5%	33.8%
	50-59	Count	6	2	8
		% within Sex	11.8%	11.8%	11.8%
	60-69	Count	1		1
		% within Sex	2.0%		1.5%
	70+	Count	1		1
		% within Sex	2.0%		1.5%
Total		Count	51	17	68
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	13	5	18
		% within Sex	25.5%	29.4%	26.5%
	African American	Count	33	12	45
		% within Sex	64.7%	70.6%	66.2%
	Hispanic	Count	3		3
		% within Sex	5.9%		4.4%
	Asian-Pacific Islander	Count	2		2
		% within Sex	3.9%		2.9%
Total		Count	51	17	68
		% within Sex	100.0%	100.0%	100.0%

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	25		25
Exposure		% within Sex	49.0%		36.8%
	IDU	Count	10	3	13
		% within Sex	19.6%	17.6%	19.1%
	M-M & IDU	Count	2		2
		% within Sex	3.9%		2.9%
	Heterosexual Contact	Count	3	9	12
		% within Sex	5.9%	52.9%	17.6%
	Transfusion	Count	1	1	2
		% within Sex	2.0%	5.9%	2.9%
	Not Classified	Count	10	4	14
		% within Sex	19.6%	23.5%	20.6%
Total		Count	51	17	68
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	18	18
		% within Adult-Ped	26.5%	26.5%
	African American	Count	45	45
		% within Adult-Ped	66.2%	66.2%
	Hispanic	Count	3	3
		% within Adult-Ped	4.4%	4.4%
	Asian-Pacific Islander	Count	2	2
		% within Adult-Ped	2.9%	2.9%
Total		Count	68	68
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	51	51
		% within Adult-Ped	75.0%	75.0%
	Female	Count	17	17
		% within Adult-Ped	25.0%	25.0%
Total		Count	68	68
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	3	6
Diagnosis		% within Sex	.3%	1.1%	.5%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	2-4	Count	1	4	5
		% within Sex	.1%	1.5%	.4%
	5-12	Count	5	1	6
		% within Sex	.5%	.4%	.5%
	13-19	Count	6	10	16
		% within Sex	.6%	3.7%	1.3%
	20-24	Count	51	33	84
		% within Sex	5.5%	12.2%	7.0%
	25-29	Count	154	62	216
		% within Sex	16.5%	22.9%	17.9%
	30-39	Count	406	84	490
		% within Sex	43.5%	31.0%	40.7%
	40-49	Count	207	49	256
		% within Sex	22.2%	18.1%	21.2%
	50-59	Count	75	15	90
		% within Sex	8.0%	5.5%	7.5%
	60-69	Count	19	7	26
		% within Sex	2.0%	2.6%	2.2%
	70+	Count	6	2	8
		% within Sex	.6%	.7%	.7%
Total		Count	934	271	1205
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	513	89	602
		% within Sex	54.9%	32.8%	50.0%
	African American	Count	357	172	529
		% within Sex	38.2%	63.5%	43.9%
	Hispanic	Count	51	8	59
		% within Sex	5.5%	3.0%	4.9%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	9	1	10
		% within Sex	1.0%	.4%	.8%
	Not Specified	Count	1		1
		% within Sex	.1%		.1%
Total		Count	934	271	1205
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	508		508
Exposure		% within Sex	54.4%		42.2%
	IDU	Count	118	84	202
		% within Sex	12.6%	31.0%	16.8%
	M-M & IDU	Count	130		130
		% within Sex	13.9%		10.8%
	Hemophiliac	Count	10		10
		% within Sex	1.1%		.8%
	Heterosexual Contact	Count	31	97	128
		% within Sex	3.3%	35.8%	10.6%
	Transfusion	Count	29	18	47
		% within Sex	3.1%	6.6%	3.9%
	Not Classified	Count	97	62	159
		% within Sex	10.4%	22.9%	13.2%
	Ped Hemophiliac	Count	3		3
		% within Sex	.3%		.2%
	Ped Parent at Risk	Count	6	8	14
		% within Sex	.6%	3.0%	1.2%
	Ped Transfusion	Count	1	1	2
		% within Sex	.1%	.4%	.2%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.4%	.2%
Total		Count	934	271	1205
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	10	592	602
		% within Adult-Ped	52.6%	49.9%	50.0%
	African American	Count	9	520	529
		% within Adult-Ped	47.4%	43.8%	43.9%
	Hispanic	Count		59	59
		% within Adult-Ped		5.0%	4.9%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		10	10
		% within Adult-Ped		.8%	.8%
	Not Specified	Count		1	1
		% within Adult-Ped		.1%	.1%
Total		Count	19	1186	1205
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 5

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	10	924	934
		% within Adult-Ped	52.6%	77.9%	77.5%
	Female	Count	9	262	271
		% within Adult-Ped	47.4%	22.1%	22.5%
Total	-	Count	19	1186	1205
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2		2
Diagnosis		% within Sex	.5%		.4%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.3%	.7%	.4%
	2-4	Count	1	3	4
		% within Sex	.3%	2.0%	.8%
	5-12	Count	1		1
		% within Sex	.3%		.2%
	13-19	Count	4	6	10
		% within Sex	1.1%	3.9%	1.9%
	20-24	Count	21	21	42
		% within Sex	5.6%	13.8%	8.0%
	25-29	Count	48	33	81
		% within Sex	12.8%	21.7%	15.4%
	30-39	Count	167	47	214
		% within Sex	44.7%	30.9%	40.7%
	40-49	Count	103	31	134
		% within Sex	27.5%	20.4%	25.5%
	50-59	Count	21	8	29
		% within Sex	5.6%	5.3%	5.5%
	60-69	Count	3	2	5
		% within Sex	.8%	1.3%	1.0%
	70+	Count	2		2
		% within Sex	.5%		.4%
Total		Count	374	152	526
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	3	1	4
Age		% within Sex	.8%	.7%	.8%
	13-19	Count	1	3	4
		% within Sex	.3%	2.0%	.8%
	20-24	Count	2	3	5
		% within Sex	.5%	2.0%	1.0%
	25-29	Count	14	23	37
		% within Sex	3.7%	15.1%	7.0%
	30-39	Count	115	58	173
		% within Sex	30.7%	38.2%	32.9%
	40-49	Count	171	46	217
		% within Sex	45.7%	30.3%	41.3%
	50-59	Count	54	13	67
		% within Sex	14.4%	8.6%	12.7%
	60-69	Count	9	3	12
		% within Sex	2.4%	2.0%	2.3%
	70+	Count	5	2	7
		% within Sex	1.3%	1.3%	1.3%
Total		Count	374	152	526
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	179	48	227
		% within Sex	47.9%	31.6%	43.2%
	African American	Count	166	96	262
		% within Sex	44.4%	63.2%	49.8%
	Hispanic	Count	24	6	30
		% within Sex	6.4%	3.9%	5.7%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.8%	.7%	.8%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.3%	.7%	.4%
	Not Specified	Count	1		1
		% within Sex	.3%		.2%
Total		Count	374	152	526
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	200		200
Exposure		% within Sex	53.5%		38.0%
	IDU	Count	53	43	96
		% within Sex	14.2%	28.3%	18.3%
	M-M & IDU	Count	44		44
		% within Sex	11.8%		8.4%
	Hemophiliac	Count	1		1
		% within Sex	.3%		.2%
	Heterosexual Contact	Count	16	60	76
		% within Sex	4.3%	39.5%	14.4%
	Transfusion	Count	7	5	12
		% within Sex	1.9%	3.3%	2.3%
	Not Classified	Count	47	40	87
		% within Sex	12.6%	26.3%	16.5%
	Ped Hemophiliac	Count	2		2
		% within Sex	.5%		.4%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	1.1%	2.6%	1.5%
Total		Count	374	152	526
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	4	223	227
		% within Adult-Ped	44.4%	43.1%	43.2%
	African American	Count	5	257	262
		% within Adult-Ped	55.6%	49.7%	49.8%
	Hispanic	Count		30	30
		% within Adult-Ped		5.8%	5.7%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.8%	.8%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		1	1
		% within Adult-Ped		.2%	.2%
Total		Count	9	517	526
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	5	369	374
		% within Adult-Ped	55.6%	71.4%	71.1%
	Female	Count	4	148	152
		% within Adult-Ped	44.4%	28.6%	28.9%
Total		Count	9	517	526
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	4	5	9
Diagnosis		% within Sex	.7%	1.6%	1.1%
	1 (12-23 mo)	Count	2	2	4
		% within Sex	.4%	.7%	.5%
	2-4	Count	1	5	6
		% within Sex	.2%	1.6%	.7%
	5-12	Count	1	1	2
		% within Sex	.2%	.3%	.2%
	13-19	Count	7	31	38
		% within Sex	1.3%	10.1%	4.5%
	20-24	Count	48	57	105
		% within Sex	8.8%	18.6%	12.3%
	25-29	Count	75	51	126
		% within Sex	13.7%	16.7%	14.8%
	30-39	Count	231	85	316
		% within Sex	42.3%	27.8%	37.1%
	40-49	Count	134	50	184
		% within Sex	24.5%	16.3%	21.6%
	50-59	Count	34	13	47
		% within Sex	6.2%	4.2%	5.5%
	60-69	Count	4	6	10
		% within Sex	.7%	2.0%	1.2%
	70+	Count	3		3
		% within Sex	.5%		.4%
	Unknown	Count	2		2
		% within Sex	.4%		.2%
Total		Count	546	306	852
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count		1	1
Age		% within Sex		.3%	.1%
	5-12	Count	6	6	12
		% within Sex	1.1%	2.0%	1.4%
	13-19	Count	2	11	13
		% within Sex	.4%	3.6%	1.5%
	20-24	Count	13	31	44
		% within Sex	2.4%	10.1%	5.2%
	25-29	Count	37	53	90
		% within Sex	6.8%	17.3%	10.6%
	30-39	Count	180	101	281
		% within Sex	33.0%	33.0%	33.0%
	40-49	Count	216	73	289
		% within Sex	39.6%	23.9%	33.9%
	50-59	Count	74	20	94
		% within Sex	13.6%	6.5%	11.0%
	60-69	Count	12	7	19
		% within Sex	2.2%	2.3%	2.2%
	70+	Count	6	3	9
		% within Sex	1.1%	1.0%	1.1%
Total		Count	546	306	852
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	245	83	328
		% within Sex	44.9%	27.1%	38.5%
	African American	Count	257	207	464
		% within Sex	47.1%	67.6%	54.5%
	Hispanic	Count	31	12	43
		% within Sex	5.7%	3.9%	5.0%
	Asian-Pacific Islander	Count	4	1	5
		% within Sex	.7%	.3%	.6%
	Am Indian-Alaskan	Count	2	1	3
		% within Sex	.4%	.3%	.4%
	Not Specified	Count	7	2	9
		% within Sex	1.3%	.7%	1.1%
Total		Count	546	306	852
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	270		270
Exposure		% within Sex	49.5%		31.7%
	IDU	Count	70	59	129
		% within Sex	12.8%	19.3%	15.1%
	M-M & IDU	Count	58		58
		% within Sex	10.6%		6.8%
	Hemophiliac	Count	1		1
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	42	124	166
		% within Sex	7.7%	40.5%	19.5%
	Transfusion	Count	7	7	14
		% within Sex	1.3%	2.3%	1.6%
	Not Classified	Count	89	103	192
		% within Sex	16.3%	33.7%	22.5%
	Ped Hemophiliac	Count	2		2
		% within Sex	.4%		.2%
	Ped Parent at Risk	Count	7	13	20
		% within Sex	1.3%	4.2%	2.3%
Total		Count	546	306	852
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	5	321	2	328
		% within Adult-Ped	23.8%	38.7%	100.0%	38.5%
	African American	Count	14	450		464
		% within Adult-Ped	66.7%	54.3%		54.5%
	Hispanic	Count	2	41		43
		% within Adult-Ped	9.5%	4.9%		5.0%
	Asian-Pacific Islander	Count		5		5
		% within Adult-Ped		.6%		.6%
	Am Indian-Alaskan	Count		3		3
		% within Adult-Ped		.4%		.4%
	Not Specified	Count		9		9
		% within Adult-Ped		1.1%		1.1%
Total		Count	21	829	2	852
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped			
				Adult/Adol			
			Pediatric	escent	Unknown	Total	
Sex	Male	Count	8	536	2	546	
		% within Adult-Ped	38.1%	64.7%	100.0%	64.1%	
	Female	Count	13	293		306	
		% within Adult-Ped	61.9%	35.3%		35.9%	
Total		Count	21	829	2	852	
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. PHR = PHR 5